



**YOUR LOCAL GOUGH PLASTICS SUPPLIER
AIRLIE BEACH AND THE WHITSUNDAYS**

Water Tanks

Gough poly rainwater, stockwater and slimline tanks.
22 sizes from 375 litres to 50,000 litres.



PHONE OR TEXT

0434 085 029

EMAIL

admin@hanksequimenthire.com

BASED IN

Airlie Beach, QLD



HANK'S EQUIPMENT HIRE

Gough tanks, sold local

Hank's Equipment Hire is the local Gough Plastics supplier in Airlie Beach and the Whitsundays. Gough Plastics is a Queensland family owned business, founded in 1989, and builds its tanks at its Townsville factory. Tell us what you need to store and where it has to fit, and we'll quote you the right tank.

22

tank sizes

375L to 50,000L

capacity range

10

standard
colours

10 year

Gough pro rata warranty on all water
tanks

Big tanks

13,500L to 50,000L. Whole of house supply, rural blocks, sheds and stock water. Standard, Stockwater and Heavy Duty versions.

Round tanks

600L to 10,000L. The everyday rainwater tank for houses, sheds and gardens, in tall, short and squat shapes.

Slimline tanks

375L to 5,000L. Narrow tanks for side access, fence lines and under the eaves, where a round tank won't fit.

The range at a glance

TANK	FOOTPRINT	HEIGHT	GOUGH PART NO.
Big tanks			
50,000L (11,000 gallon)	4,600mm diameter	3,450mm	FTAN.ST50000
27,300L (6,000 gallon)	3,530mm diameter	3,480mm	FTAN.ST28000
22,800L (5,000 gallon)	3,520mm diameter	3,050mm	FTAN.ST22730
13,500L (3,000 gallon)	3,050mm diameter	2,410mm	FTAN.ST13640
Round tanks			
10,000L	2,590mm diameter	2,280mm	FTAN.ST10000
9,000L	2,450mm diameter	2,150mm	FTAN.ST09000
7,500L	2,250mm diameter	2,203mm	FTAN.ST07500
5,500L	2,410mm diameter	1,515mm	FTAN.ST05500
5,000L Tall	1,750mm diameter	2,360mm	FTAN.TL05000
5,000L Short	2,050mm diameter	1,820mm	FTAN.ST05000
3,000L	1,600mm diameter	1,840mm	FTAN.ST03000
2,500L	1,620mm diameter	1,496mm	FTAN.ST02500
2,000L Tall	1,100mm diameter	2,475mm	FTAN.ST02000
1,450L	1,280mm diameter	1,350mm	FTAN.ST01500
1,000L Tall	920mm diameter	1,860mm	FTAN.TL01000
600L	910mm diameter	1,270mm	FTAN.ST00600
Slimline tanks			
5,000L Slim	2,600mm x 1,260mm	2,140mm	FTAN.SL05000
5,000L Slim Combo	4,520mm x 920mm	1,860mm	FTAN.SLC05000
3,000L Slim	2,700mm x 855mm	2,100mm	FTAN.SL03000
2,000L Slim	1,640mm x 785mm	2,185mm	FTAN.SL02000
1,350L Slim	1,650mm x 785mm	1,670mm	FTAN.SL01350
375L	1,190mm x 600mm	800mm	FTAN.ST00375



BIG TANKS

13,500L to 50,000L

The big poly tanks for whole of house supply, rural blocks and stock water. Each size comes in three versions, so pick the one that suits how the tank gets filled.



50,000L

11,000 GALLON

DIAMETER

4,600mm

HEIGHT

3,450mm

Gough part no. FTAN.ST50000



27,300L

6,000 GALLON

DIAMETER

3,530mm

HEIGHT

3,480mm

Gough part no. FTAN.ST28000



22,800L

5,000 GALLON

DIAMETER

3,520mm

HEIGHT

3,050mm

Gough part no. FTAN.ST22730



13,500L

3,000 GALLON

DIAMETER

3,050mm

HEIGHT

2,410mm

Gough part no. FTAN.ST13640

Three versions of every big tank

VERSION	BEST FOR	FITTINGS
Standard	Rainwater off the roof	400mm strainer baskets with sun blockers, 90mm screened PVC overflow, 50mm male poly outlet
Stockwater	Filling from a bore, pump or poly line and feeding troughs	Ready to connect to a 2" poly supply line. 50mm poly bulkhead for a float valve, 455mm screw-on vented hatch, 90mm screened overflow, 50mm male poly outlet
Heavy Duty	Custom jobs	Four 455mm vented screw hatches. All other fittings made to your specification

Connection kit included

Standard and Stockwater big tanks come with a 2" connection kit: metal ball valve, 1m flex hose, fittings and thread tape.

Rated lifting kits

Gough's optional rated lifting kits make unloading and positioning a big tank easier. Ask us when you order.



ROUND TANKS

5,000L to 10,000L

The everyday rainwater tank for houses and sheds. Same capacity comes in different shapes, so check the diameter and height against your spot before you choose.



10,000L 2,200 GALLON

DIAMETER

2,590mm

HEIGHT

2,280mm

- Two 400mm strainer baskets with sun blockers
- 90mm screened PVC overflow
- 50mm brass outlet, plus a spare rear outlet
- Connection kit included

Gough part no. FTAN.ST10000



9,000L 2,000 GALLON

DIAMETER

2,450mm

HEIGHT

2,150mm

- Two 400mm strainer baskets with sun blockers
- 90mm screened PVC overflow
- 50mm male poly outlet

Gough part no. FTAN.ST09000



7,500L

DIAMETER

2,250mm

HEIGHT

2,203mm

- Two 400mm strainer baskets with sun blockers
- 90mm screened PVC overflow
- 50mm brass outlet

Gough part no. FTAN.ST07500



5,500L SQUAT

DIAMETER

2,410mm

HEIGHT

1,515mm

- 455mm strainer and sunblocker
- 90mm screened PVC overflow
- 2" brass outlet

Gough part no. FTAN.ST05500



5,000L Tall

DIAMETER

1,750mm

HEIGHT

2,360mm

- 455mm strainer basket and sunblocker
- 90mm screened overflow
- 50mm outlet

Gough part no. FTAN.TL05000



5,000L Short

DIAMETER

2,050mm

HEIGHT

1,820mm

- 455mm strainer basket and sunblocker
- 90mm PVC overflow
- 50mm outlet

Gough part no. FTAN.ST05000



ROUND TANKS

600L to 3,000L

Smaller round tanks for gardens, sheds, granny flats and top-up storage. The tall models hold more water on a smaller footprint.



3,000L

DIAMETER

1,600mm

HEIGHT

1,840mm

- 455mm strainer basket and sunblocker
- 90mm screened overflow
- 50mm outlet

Gough part no. FTAN.ST03000



2,500L

DIAMETER

1,620mm

HEIGHT

1,496mm

- 455mm strainer basket and sunblocker
- 90mm screened overflow
- 50mm outlet

Gough part no. FTAN.ST02500



2,000L Tall

DIAMETER

1,100mm

HEIGHT

2,475mm

- Lid and strainer assembly
- Small footprint for tight spots
- Ask us for fitting sizes

Gough part no. FTAN.ST02000



1,450L

DIAMETER

1,280mm

HEIGHT

1,350mm

- 455mm strainer basket and sunblocker
- 90mm screened overflow
- 25mm threaded outlet

Gough part no. FTAN.ST01500



1,000L Tall

DIAMETER

920mm

HEIGHT

1,860mm

- 455mm strainer basket and sunblocker
- 90mm screened overflow
- 1" threaded outlet

Gough part no. FTAN.TL01000



600L

DIAMETER

910mm

HEIGHT

1,270mm

- Light guard and strainer
- 90mm screened overflow
- 1" bulkhead outlet at the base

Gough part no. FTAN.ST00600



SLIMLINE TANKS

375L to 5,000L

Narrow tanks for down the side of the house, along a fence or under the eaves. Check the length, width and height against your space, and allow room for the downpipe and fittings.



5,000L Slim

LENGTH	WIDTH	HEIGHT
2,600mm	1,260mm	2,140mm

- Two 450mm strainer baskets with covers
- 90mm PVC inlet/overflow each end
- 25mm outlets
- Brass inserts for a hold-down bracket

Gough part no. FTAN.SL05000



5,000L Slim Combo

LENGTH	WIDTH	HEIGHT
4,520mm	920mm	1,860mm

- Five 1,000L modules joined in a row
- 1" stainless braided joiner hoses
- 455mm screened hatches
- 90mm screened PVC overflow, 1" outlets

Gough part no. FTAN.SLC05000



3,000L Slim

LENGTH	WIDTH	HEIGHT
2,700mm	855mm	2,100mm

- 450mm sunblocker and strainer
- 90mm PVC overflows
- 1" threaded outlet at each end

Gough part no. FTAN.SL03000



2,000L Slim

LENGTH	WIDTH	HEIGHT
1,640mm	785mm	2,185mm

- Two 455mm strainers with sunblockers
- 90mm PVC overflow/inlet each end
- 1" brass outlets
- Brass inserts for optional hold-down kit

Gough part no. FTAN.SL02000



1,350L Slim

LENGTH	WIDTH	HEIGHT
1,650mm	785mm	1,670mm

- 455mm strainer and sunblocker
- 90mm screened overflow each end
- 25mm outlet each end
- Brass inserts for optional hold-down brackets

Gough part no. FTAN.SL01350



375L

LENGTH	WIDTH	HEIGHT
1,190mm	600mm	800mm

- Fits under eaves and windows
- 200mm strainer basket
- 50mm screened overflow
- 1" brass bulkhead outlet

Gough part no. FTAN.ST00375



MORE FROM GOUGH

Troughs, cartage and diesel

Hank's can also supply the rest of the Gough Plastics rural range. These are the general ranges, so call us with what you need and we'll come back with sizes, options and a quote.



FULL RANGE

Water troughs

200L to 1,000L

The full Gough water trough range for cattle, horses and other livestock.

- MegaTroughs in mini, rectangular, round, 3m long and 6m long shapes
- WaterSmart round troughs in 200L, 400L and 600L, with float valve
- Ribbed heavy-duty build, light enough to move and clean yourself




FULL RANGE

Feed troughs

50L to 2,300L

FeedSmart troughs for dry lick, molasses and grain, plus Gough's cattle feeders.

- Round FeedSmart troughs from 50L to 2,300L
- Rectangular FeedSmart troughs from 350L to 750L
- AllPoly Feeder shelter, MaxiBeast 750L molasses feeder and EzyLicker



FULL RANGE

Cartage tanks

400L to 10,000L

Poly cartage tanks for carting water, chemical, molasses or diesel.

- Eight sizes from 400L to 10,000L
- Tank only, skid-mounted units with pump, or firefighter units
- Galvanised tank trailers for 1,000L, 1,500L and 2,000L tanks



FULL RANGE

Diesel storage

3,000L to 10,000L

On-site diesel storage for farms, depots and work sites.

- OnFarm Diesel Units in 3,000L, 5,000L and 10,000L
- Lockable pump compartment, flow meter and auto shut-off nozzle
- QTank self-bunded diesel and AdBlue tanks in 5,000L and 10,000L

Need something that isn't listed? Gough also makes chemical tanks, molasses tanks and vehicle water and diesel tanks. Call or text 0434 085 029.



COLOURS AND ORDERING

Pick a colour, get a quote

Gough water tanks come in ten standard colours, most matched to a Colorbond colour so the tank sits in with your roof, shed or fence.



Heritage Red

Colorbond match: Manor Red



Torres Blue

Colorbond match: Torres



Slate Grey

Colorbond match: Woodland Grey



Mist Green

Colorbond match: Pale Eucalypt



Rivergum Green

Colorbond match: Wilderness



Merino Beige

Colorbond match: Paperbark



Beige

Gough colour



Wheat

Colorbond match: Harvest



Birch Grey

Colorbond match: Dune



Black

Colorbond match: Night Sky

Printed colours are a guide only and won't exactly match the finished tank. Some other colours can be made to order with minimum quantities. Ask us if you need a colour that isn't shown.

How to order

1. Call or text Hank's on **0434 085 029**.
2. Tell us the size, colour and version you're after, and where the tank is going.
3. We'll come back with a quote and sort out delivery to your site.

Good to know

- Pick your tank position carefully and prepare the base properly. A full tank is hard to move.
- Sizes can vary by about 3% because of the rotational moulding process.
- Tie-down lugs are for tying down only. They are not lifting points.
- Gough backs all its water tanks with a ten year pro rata warranty. Ask us for the full terms.



YOUR LOCAL GOUGH PLASTICS SUPPLIER

Hank's Equipment Hire

PHONE OR TEXT

0434 085 029

EMAIL

admin@hanksequipmenthire.com

BASED IN

Airlie Beach, QLD

Specifications are taken from Gough Plastics product drawings and the Gough Plastics 2026 product catalogue, and can change without notice. Confirm sizes and fittings with us before you build a base or run plumbing. Gough tanks are made by Gough Industries Pty Ltd, trading as Gough Plastics. Hank's Equipment Hire, ABN 55 702 523 262.